

New England's premier independent source for the professional A/V integrator

New From Pro Audio & peerless-AV

WALL SHELF

Versatile. Ventilating. Very Cool Looking.



(D Filme Wait Shell (HCS-5) anown with HD Filme Workers Multimedia and /HDS-1001, and annarable

The New HD Flow Wall Shelf

The sleek HD Flow Wall Shelf is a must-have accessory that allows the HD Flow receiver (HDS-100) to be placed in a horizontal orientation above or below the TV. Air circulates underneath via the open design of the shelf helping to keep the unit properly ventilated and cool. Equally cool is the low-profile design that allows the shelf to virtually "disappear." Integrated cable management keeps cords and wires neatly under control, providing a clutter-free aesthetic. Definitely top shelf!

© 2011 Peerless Industries, Inc. All rights reserved. Peerless-AV is a trademark of Peerless Industries, Inc. Other parties' marks are the property of their respective owners.



14 Everberg Road Woburn, MA 01801 | 781.939.5630 | fax: 781.933.1870

www.proaudioinc.com





It's never been easier to integrate a HD Flow Kit than it is now with Peerless' HD Flow Wall Shelf (HDS-S). The shelf's unique combination of stylized features and highly functional design merge and deliver a low-profile, sleek, safe and ideally ventilated shelving solution for Peerless' HD Flow product offering. The design of the HD Flow Wall Shelf allows HD Flow to operate at optimal temperature when placed horizontally above, below or to the side of the flat panel TV. No matter where the shelf is installed it's designed to ensure that HD Flow receives proper ventilation. Its ventilation maximizing risers add slip resistance, and when combined with the front slip guard the HD Flow stays put. The stylish high-gloss black shelf easily integrates into any application and assists with a clean clutter-free installation via its cable management system that keeps AV and power cables neatly organized and virtually unnoticeable.

Compatible with HD Flow Wireless Device Models HDS100, HDS100-X and HDS-R





HDS-S


LOW-PROFILE DESIGN Slim design makes it easy to integrate a HD Flow near a TV in any application



CLEAN INSTALLATION Cable management cut-out routes cables keeping them neatly organized and virtually out of sight



COOLING PORTAL Provides main path for air flow, keeping the HD Flow unit at the optimal operating temperature



VENTILATION MAXIMIZING RISERS Provide ample space for air circulation around the unit



FRONT SLIP GUARD Keeps HD Flow unit from being accidentally bumped off the shelf







Compatible with HD Flow Wireless Device Models HDS100, HDS100-X and HDS-R

	Supports HD Flow Receiver/Transmitter Units
Features	 Ensures proper air-flow and ventilation for ideal function of HD Flow unit
	 Mounts to 1/2" or thicker drywall with included wall anchors for virtually limitless placement options
	 High gloss black finish blends well with any environment

- Installation hardware included for quick installation

Product Specifications

Package Specifications

Dimensions (W x H x D)	- 8.00" x 1.31" x 7.71" (203 x 33 x 196mm)	Package Size (W x H x D)	- 9.625" x 1.875" x 12.25" (244.48 x 47.63 x 311.15mm)
Product Weight	- 1.04lb (.47kg)	Package Ship Weight	- 1.5lb (.68kg)
Load Capacity	- 3lb (1.36kg)	Package UPC	- 735029278153
Finish	- Black fused epoxy	Package Contents	- Wall shelf, ventilation maximizing risers (3) and installation hardware
Available Colors	- High gloss black	Units In Package	- One (1)

Accessories

HDS100: - HD Flow Multimedia Kit HDS-R: - HD Flow Multimedia Receiver* * Requires transmitter for operation.	HDS100-2: HDS100-3: HDS100-4:	 HD Flow Multimedia Kit - Multicast: Two receivers HD Flow Multimedia Kit - Multicast: Three receivers HD Flow Multimedia Kit - Multicast: Four receivers
--	-------------------------------------	--

All dimensions = inch (mm)

