

SAP NUMBER	PRODUCT	DESCRIPTION	MSRP	DEALER PRICE
F.01U.118.161	<b>AB-2</b>	Universal bracket for 1/2 wave antenna w/10' coax cable.	\$ 85.10	\$ 51.06
F.01U.274.382	<b>AB-ZE</b>	Universal array bracket mounting system for up to four ZX1i or EVID 3.2, 4.2 or 6.2 speaker systems in any combination. Enables either pole or threaded rod mounting. Includes one piece bracket, mounting hardware and safety plate.	\$ 162.00	\$ 97.20
F.01U.117.879	<b>ASP-1</b>	Height adjustable steel subwoofer stand, 36 - 60 inches, 80 lbs. maximum weight capacity, black powdercoat finish	\$ 33.00	\$ 19.80
F.01U.317.892	<b>ASP-58</b>	Adjustable loudspeaker pole with M20 thread. For use with EKX and ETX subwoofers. Maximum height 57.5 inches. Maximum weight 100 lbs.	\$ 109.00	\$ 65.40
F.01U.306.189	<b>BP-300-C</b>	Bodypack for R300 Wireless System - C Band	\$ 121.00	\$ 72.60
F.01U.169.593	<b>BTR-240,A4F-NA</b>	BTR-240 Base Station, A4F Headset Jack	\$ 3,883.00	\$ 2,718.10
F.01U.314.187	<b>C1800FDI-US</b>	DSP power amplifier 2x950W, install. With FIR drive, Phoenix connectors.	\$ 1,216.00	\$ 729.60
F.01U.314.195	<b>C3600FDI-US</b>	DSP power amplifier 2x1800W, install. With FIR drive, Phoenix connectors.	\$ 1,841.00	\$ 1,104.60
F.01U.118.166	<b>CXU-100</b>	100' 50 ohm low loss semi-flexible coaxial cable, TNC M connector.	\$ 457.00	\$ 274.20
F.01U.118.163	<b>CXU-25</b>	25' 50 ohm low loss coaxial cable, TNC M connector.	\$ 116.00	\$ 69.60
F.01U.118.165	<b>CXU-75</b>	75' 50 ohm low loss semi-flexible coaxial cable, TNC M connector.	\$ 387.00	\$ 232.20
F.01U.303.368	<b>EKX-12P-US</b>	EKX-12P Powered 12" 2-Way Speaker	\$ 1,439.00	\$ 575.60
F.01U.303.366	<b>EKX-15S</b>	EKX-15S Passive 15" Subwoofer	\$ 1,306.00	\$ 522.40
F.01U.303.387	<b>EKX-15SP-US</b>	EKX-15SP Powered 15" Subwoofer	\$ 1,799.00	\$ 719.60
F.01U.170.823	<b>ELX112</b>	12" Two- Way Passive Loudspeaker	\$ 601.00	\$ 240.40
F.01U.170.820	<b>ELX112P-120V</b>	Powered Loudspeaker	\$ 1,184.00	\$ 473.60
F.01U.170.825	<b>ELX118</b>	18" Passive Subwoofer	\$ 971.00	\$ 388.40
F.01U.170.822	<b>ELX118P-120V</b>	Powered Subwoofer	\$ 1,545.00	\$ 618.00
F.01U.326.039	<b>ELX200-10P-US</b>	10" 2-way powered speaker, US cord	\$ 1,136.00	\$ 454.40
F.01U.326.040	<b>ELX200-12P-US</b>	12" 2-Way powered speaker, US cord	\$ 1,223.00	\$ 489.20
F.01U.351.452	<b>ELX200-12SP-US</b>	12" powered subwoofer, US cord	\$ 1,390.00	\$ 556.00
F.01U.351.453	<b>ELX200-18SP-US</b>	18" powered subwoofer, US cord	\$ 1,652.00	\$ 660.80
F.01U.297.634	<b>ETX-10P-CVR</b>	PADDED COVER FOR ETX-10P, EV LOGO	\$ 73.40	\$ 29.36
F.01U.302.280	<b>ETX-10P-US</b>	ETX-10P 2-WAY POWERED LOUDSPEAKER, BLK, US	\$ 2,136.00	\$ 854.40
F.01U.297.639	<b>ETX-18SP-CVR</b>	PADDED COVER FOR ETX-18SP, EV LOGO	\$ 129.00	\$ 51.60
F.01U.302.285	<b>ETX-18SP-US</b>	ETX-18SP POWERED SUBWOOFER, BLK, US	\$ 2,788.00	\$ 1,115.20
F.01U.297.637	<b>ETX-35P-CVR</b>	PADDED COVER FOR ETX-35P, EV LOGO	\$ 165.00	\$ 66.00
F.01U.302.283	<b>ETX-35P-US</b>	ETX-35P 3-WAY POWERED LOUDSPEAKER, BLK, US	\$ 2,945.00	\$ 1,178.00
F.01U.329.277	<b>EVC-1082-00B</b>	8" speaker, 100x100 indoor, black. Note - ships without rigging hardware	\$ 1,056.00	\$ 633.60
F.01U.329.268	<b>EVC-1082-96B</b>	8" speaker, 90x60 indoor, black. Note - ships without rigging hardware	\$ 1,056.00	\$ 633.60
F.01U.330.655	<b>EVC-UB1-BLK</b>	U-Bracket EVC 8" black	\$ 188.00	\$ 112.80
F.01U.272.586	<b>EVF-1122D/64-BLK</b>	EVF-1122D 60" X 40", EVCOAT, BLACK	\$ 2,676.00	\$ 1,605.60
F.01U.272.590	<b>EVF-1122D/66-BLK</b>	EVF-1122D 60 X 60 EVCOAT BLACK	\$ 2,676.00	\$ 1,605.60
F.01U.272.594	<b>EVF-1122D/94-BLK</b>	EVF-1122D 90 X 40 EVCOAT BLACK	\$ 2,676.00	\$ 1,605.60
F.01U.272.598	<b>EVF-1122D/96-BLK</b>	EVF-1122D 90 X 60 EVCOAT BLACK	\$ 2,676.00	\$ 1,605.60
F.01U.272.566	<b>EVF-1152D/64-BLK</b>	EVF-1152D 60 X 40 EVCOAT BLACK	\$ 2,896.00	\$ 1,737.60
F.01U.272.558	<b>EVF-2151D-BLK</b>	DUAL 15IN, 1000 WATT SUBWOOFER SYSTEM, EVCOAT, BLACK, EXTERNAL CROSSOVER REQUIRED	\$ 2,539.00	\$ 1,523.40
F.01U.117.526	<b>EVID 3.2T</b>	Two-way twin 3.5" woofer and 7.5" direct radiator dome tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system. (sold and priced per pair)	\$ 295.00	\$ 177.00
F.01U.117.527	<b>EVID 3.2TW</b>	Same as model EVID 3.2t but white cabinet (sold and priced per pair)	\$ 295.00	\$ 177.00
F.01U.117.528	<b>EVID 4.2</b>	Two-way twin 4" woofer and 1" horn loaded 100 x 90 tweeter. Black cabinet. Includes mounting system (sold and priced per pair)	\$ 385.00	\$ 231.00
F.01U.117.530	<b>EVID 4.2T</b>	Two-way twin 4" woofer and 1" horn loaded 100 x 90 tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system. (sold and priced per pair)	\$ 408.00	\$ 244.80
F.01U.117.531	<b>EVID 4.2TW</b>	Same as model EVID 4.2t but white cabinet (sold and priced per pair)	\$ 408.00	\$ 244.80
F.01U.117.532	<b>EVID 6.2</b>	Two-way twin 6" woofer and 1" horn loaded 100 x 90 tweeter. Black cabinet. Includes mounting system (sold and priced per pair)	\$ 605.00	\$ 363.00
F.01U.117.534	<b>EVID 6.2T</b>	Two-way twin 6" woofer and 1" horn loaded 100 x 90 tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system. (sold and priced per pair)	\$ 627.00	\$ 376.20
F.01U.117.535	<b>EVID 6.2TW</b>	Same as model EVID 6.2t but white cabinet (sold and priced per pair)	\$ 627.00	\$ 376.20
F.01U.117.533	<b>EVID 6.2W</b>	Same as model EVID 6.2 but white cabinet (sold and priced per pair)	\$ 605.00	\$ 363.00
F.01U.117.589	<b>EVID C10.1</b>	10" High performance subwoofer - complete with can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 60, 30, 15, 7.5, and 3.75 watts (sold and priced per pair)	\$ 563.00	\$ 337.80
F.01U.117.807	<b>EVID C12.2</b>	EVID C12.2, Integrated 12" Ceiling Mounted Speaker System - complete with can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 64, 32, 16, 8, and 4 watts (SOLD INDIVIDUALLY)	\$ 620.00	\$ 372.00
F.01U.117.585	<b>EVID C4.2</b>	4" Coaxial speaker with horn loaded Ti coated tweeter - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts (sold and priced per pair)	\$ 307.00	\$ 184.20
F.01U.117.587	<b>EVID C8.2</b>	8" Coaxial speaker with horn loaded Ti coated tweeter - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts (sold and priced per pair)	\$ 425.00	\$ 255.00

SAP NUMBER	PRODUCT	DESCRIPTION	MSRP	DEALER PRICE
F.01U.117.606	<b>EVID C8.2LP</b>	8" coaxial speaker with horn loaded Ti coated tweeter - complete with LOW PROFILE back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts (sold and priced per pair)	\$ 425.00	\$ 255.00
F.01U.351.201	<b>EVID-C4.2LP</b>	4" Coaxial speaker with extreme low profile back can enclosure. Only 3.75" total mounting depth. 70v/100v or 8-Ohm operation (PAIR)	\$ 400.00	\$ 240.00
F.01U.351.200	<b>EVID-C6.2</b>	6.5" Coaxial speaker with horn loaded Ti coated tweeter - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts (sold and priced per pair)	\$ 400.00	\$ 240.00
F.01U.351.202	<b>EVID-P6.2B</b>	6.5" Coaxial pendant speaker with horn loaded Ti coated tweeter - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. Black	\$ 336.00	\$ 201.60
F.01U.351.203	<b>EVID-P6.2W</b>	6.5" Coaxial pendant speaker with horn loaded Ti coated tweeter - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. White	\$ 336.00	\$ 201.60
F.01U.332.744	<b>EVID-S10.1DB</b>	Subwoofer 2x10" cabinet black	\$ 803.00	\$ 481.80
F.01U.332.746	<b>EVID-S12.1B</b>	Subwoofer 12" cabinet black	\$ 593.00	\$ 355.80
F.01U.332.747	<b>EVID-S12.1W</b>	Subwoofer 12" cabinet white	\$ 593.00	\$ 355.80
F.01U.332.734	<b>EVID-S5.2B</b>	Quick install Speaker 5" cabinet 8Ohm black. IP54. Sold only in pairs.	\$ 368.00	\$ 220.80
F.01U.332.737	<b>EVID-S5.2TW</b>	Quick install Speaker 5" cabinet 70/100V white. IP54. Sold only in pairs.	\$ 410.00	\$ 246.00
F.01U.332.740	<b>EVID-S8.2B</b>	Quick install Speaker 8" cabinet 8Ohm black. IP54. Sold only in pairs.	\$ 641.00	\$ 384.60
F.01U.332.742	<b>EVID-S8.2TB</b>	Quick install Speaker 8" cabinet 70/100V black. IP54. Sold only in pairs.	\$ 662.00	\$ 397.20
F.01U.332.743	<b>EVID-S8.2TW</b>	Quick install Speaker 8" cabinet 70/100V white. IP54. Sold only in pairs.	\$ 662.00	\$ 397.20
F.01U.335.091	<b>EVOLVE50-SB-US</b>	Column speaker sub US, black - MUST ORDER WITH EVOLVE50-TB	\$ 1,768.00	\$ 707.20
F.01U.335.090	<b>EVOLVE50-TB</b>	Column speaker array, pole, black - MUST ORDER WITH EVOLVE50-SB-US	\$ 1,206.00	\$ 482.40
F.01U.216.253	<b>EVU-1082/95-BLK</b>	SINGLE 8-IN, TWO-WAY, BLACK	\$ 656.00	\$ 393.60
F.01U.216.252	<b>EVU-2062/95-WHT</b>	DUAL 6.5-IN, TWO-WAY, WHITE	\$ 781.00	\$ 468.60
F.01U.120.596	<b>FM4.2</b>	FM4.2, Dual 4" Flush Mount In-Wall Speaker System, 8 OHM,/70v operation, (sold and priced per pair)	\$ 425.00	\$ 255.00
F.01U.120.597	<b>FM6.2</b>	FM6.2, Dual 6" Flush Mount In-Wall Speaker System, 8 OHM,/70v operation, (sold and priced per pair)	\$ 574.00	\$ 344.40
F.01U.120.414	<b>HM2</b>	EV headworn unidirectional condenser vocal mic with TA4F connector for R100, RE-2, RE-1 and any Telex Wireless	\$ 160.00	\$ 96.00
F.01U.168.804	<b>HM3</b>	Omni-Directional Headworn Mic	\$ 91.20	\$ 54.72
F.01U.306.188	<b>HT-300-C</b>	Handheld PL22 in box	\$ 137.00	\$ 82.20
F.01U.312.389	<b>L1800FD-US</b>	DSP power amplifier 2x950W. With FIR drive, XLR/NL4 connectors.	\$ 1,104.00	\$ 662.40
F.01U.118.105	<b>MB200</b>	Wall/ceiling U-bracket kit for Sb122, Sb122PI, Sx100 and Sx300, black	\$ 104.00	\$ 62.40
F.01U.107.790	<b>MB200W</b>	Wall/ceiling U-bracket kit for Sb122, Sb122PI, Sx100 and Sx300, white	\$ 104.00	\$ 62.40
F.01U.391.577	<b>MCP-90-18</b>	Gooseneck mic with electret mic element, 18 inch length (45.7cm).	\$ 256.00	\$ 179.20
F.01U.168.798	<b>MSA-300</b>	Mic stand adapter for HT-300 Handheld	\$ 21.50	\$ 12.90
F.01U.314.722	<b>ND76S</b>	ND76S, cardioid dynamic vocal mic w/switch	\$ 109.00	\$ 65.40
F.01U.120.450	<b>PA430T</b>	30-watt constant-directivity paging projector, 60° x 40°, weather resistant, integral swivel bracket, 30-watt 25/70.7/100-volt transformer (30-, 15-, 7.5-, 3.7- and 1.9-watt taps), tan	\$ 192.00	\$ 115.20
F.01U.120.587	<b>PC BOUNDARY</b>	Wired boundary multi-pattern condenser mic. Mic on/off switch, mic status LED.	\$ 356.00	\$ 213.60
F.01U.120.570	<b>PC BOUNDARY SAT</b>	Wireless boundary multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-V, RE-2, RE-1, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.)	\$ 519.00	\$ 311.40
F.01U.117.665	<b>PC DESKTOP-12</b>	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 12-inch gooseneck	\$ 457.00	\$ 274.20
F.01U.117.666	<b>PC DESKTOP-18</b>	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 18-inch gooseneck	\$ 457.00	\$ 274.20
F.01U.117.651	<b>PC SATELLITE-18</b>	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 18-inch gooseneck	\$ 519.00	\$ 311.40
F.01U.269.007	<b>PLM-8CS</b>	Call station for Plena Matrix systems	\$ 1,073.00	\$ 643.80
F.01U.293.225	<b>PLM-8M8-US</b>	8-Zone Digital Matrix Mixer; PC or iOS Control	\$ 2,084.00	\$ 1,250.40
F.01U.269.008	<b>PLM-WCP</b>	Wall panel for Plena Matrix systems	\$ 391.00	\$ 234.60
F.01U.306.184	<b>R300-E-C</b>	Headworn System in case	\$ 340.00	\$ 204.00
F.01U.306.182	<b>R300-L-C</b>	Uni-Lapel System in case	\$ 325.00	\$ 195.00
F.01U.306.186	<b>R300-RX-C</b>	Receiver only in case	\$ 223.00	\$ 133.80
F.01U.353.087	<b>RE3-ACC-AASP</b>	2-in x 8-out active antenna splitter, 470-960 MHz	\$ 557.00	\$ 334.20
F.01U.353.093	<b>RE3-ACC-ALPA</b>	Active log periodic antenna, 470-960 MHz	\$ 333.00	\$ 199.80
F.01U.353.089	<b>RE3-ACC-BC2</b>	Two slot battery charger	\$ 222.00	\$ 133.20
F.01U.353.085	<b>RE3-ACC-CL3</b>	Cardioid lavalier mic with TA4F	\$ 145.00	\$ 87.00
F.01U.353.102	<b>RE3-ACC-CXU100</b>	100 foot, 50 ohm low loss BNC coax cable	\$ 558.00	\$ 334.80
F.01U.353.096	<b>RE3-ACC-CXU25</b>	25 foot, 50 ohm low loss BNC coax cable	\$ 107.00	\$ 64.20
F.01U.353.086	<b>RE3-ACC-HW3</b>	Headworn mic with TA4F	\$ 145.00	\$ 87.00
F.01U.353.090	<b>RE3-ACC-RMK2</b>	Rack mount kit for two RE3 receivers	\$ 65.00	\$ 39.00
F.01U.354.237	<b>RE3-BPHW-5H</b>	Bodypack set, headworn mic 560-596 MHz	\$ 668.00	\$ 400.80
F.01U.353.075	<b>RE3-BPT-5H</b>	Bodypack transmitter 560-596 MHz	\$ 278.00	\$ 166.80
F.01U.380.508	<b>RE3-BPTRSB-5L</b>	Bodypack TX, for ref switch 488-524MHz	\$ 278.00	\$ 166.80
F.01U.354.199	<b>RE3-ND76-5L</b>	Handheld set with ND76 head 488-524 MHz	\$ 668.00	\$ 400.80
F.01U.354.204	<b>RE3-ND86-5L</b>	Handheld set with ND86 head 488-524 MHz	\$ 702.00	\$ 421.20

SAP NUMBER	PRODUCT	DESCRIPTION	MSRP	DEALER PRICE
F.01U.354.206	<b>RE3-ND86-6M</b>	Handheld set with ND86 head 653-663 MHz	\$ 702.00	\$ 421.20
F.01U.354.209	<b>RE3-ND96-5L</b>	Handheld set with ND96 head 488-524 MHz	\$ 723.00	\$ 433.80
F.01U.391.493	<b>RE90BW</b>	Boundary condenser microphone, white	\$ 303.00	\$ 181.80
F.01U.391.497	<b>RE90HW</b>	Hanging choir condenser with in-line preamp with XLR-type connector, 25-ft cable, white	\$ 303.00	\$ 181.80
F.01U.168.792	<b>RM-300</b>	Single Rack Mount Kit for R300 Receiver	\$ 33.80	\$ 20.28
F.01U.118.157	<b>RM-D</b>	Dual rack mount for 1/2 rack wireless components - ST-300, and TT-16.	\$ 85.10	\$ 51.06
F.01U.168.793	<b>RMD-300</b>	Dual Rack Mount Kit for R300 Receiver	\$ 48.40	\$ 29.04
F.01U.247.884	<b>RR-42-B</b>	Rough-in mounting plate for new construction for use with the EVID C4.2 (PACKAGE OF 4)	\$ 143.00	\$ 85.80
F.01U.247.880	<b>RR-82-B</b>	Rough-in mounting plate for new construction for use with the EVID C4.2LP, C6.2, C8.2 and C8.2LP (PACKAGE OF 4)	\$ 143.00	\$ 85.80
F.01U.117.322	<b>S-40W</b>	120-watt 5-1/4-inch two-way, 100° x 100°, weather resistant, flying and stand mount (optional - requires S-40MBW hardware), white polystyrene (sold and priced per pair)	\$ 273.00	\$ 163.80
F.01U.251.469	<b>SFMC-300</b>	Front Mount Antenna Cables for RM-300	\$ 41.00	\$ 24.60
F.01U.265.557	<b>SX100+E</b>	200-watt 12-inch two-way, 65° x 65°, Neutrik Speakon® connectors, flying and stand mount, black polypropylene	\$ 667.00	\$ 400.20
F.01U.265.558	<b>SX100+WE</b>	200-watt, 12-inch two-way 65° x 65° with Neutrik Speakon® connectors, flying and stand mount, white polypropylene	\$ 667.00	\$ 400.20
F.01U.265.562	<b>SX300E</b>	300-watt 12-inch two-way, 65° x 65°, Neutrik Speakon® connectors, flying and stand mount, black polypropylene	\$ 923.00	\$ 553.80
F.01U.265.560	<b>SX300PIX</b>	300-watt 12-inch two-way, 65° x 65°, weather resistant (including full grille), internal 70.7/100-volt, 100-watt transformer, flying and stand mount, black polypropylene	\$ 1,221.00	\$ 732.60
F.01U.265.561	<b>SX300WE</b>	300-watt 12-inch two-way, 65° x 65°, Neutrik Speakon® connectors, flying and stand mount, white polypropylene	\$ 923.00	\$ 553.80
F.01U.265.570	<b>SX600PIX</b>	High power dual 12-inch two-way, 65° x 65°, weather resistant (including full grille), internal 70.7/100-volt, 600-watt transformer, includes SuperSAM™ mount, SJOW Cable input, black polypropylene cabinet	\$ 3,177.00	\$ 1,906.20
F.01U.168.801	<b>TC-18</b>	Lapel clip for ULM-18 Lapel Microphone	\$ 12.92	\$ 7.75
F.01U.274.381	<b>TC-ZX11 BLACK</b>	Terminal Cover for ZX11. Includes weatherized gland nut fitting.	\$ 33.50	\$ 20.10
F.01U.168.687	<b>TR-240,A4M-NA</b>	TR-240 Beltpack, A4M Headset Jack	\$ 987.00	\$ 690.90
F.01U.117.867	<b>TSP-1</b>	Includes 2 EV Tripod Speaker Stands (TSS-1) and 1 EV Dual Tripod Speaker Stand Carry Bag (TCB-1) packaged in a full color retail box	\$ 152.00	\$ 91.20
F.01U.144.916	<b>TSS-1</b>	All-aluminum tripod speaker stand, reversible shaft with 1 3/8 in to 1 1/2 inch diameter tubing. Height adjustable from 44 - 70 inches. Maximum weight capacity 150lbs.	\$ 56.00	\$ 33.60
F.01U.344.851	<b>UB-10DB</b>	U-bracket for 10" subwoofer black	\$ 101.00	\$ 60.60
F.01U.168.803	<b>ULM18</b>	Uni-Directional Lapel Mic	\$ 70.70	\$ 42.42
F.01U.118.035	<b>US602FL</b>	Dynamic noise-canceling grip-to-talk microphone, black	\$ 220.00	\$ 132.00
F.01U.120.696	<b>UW30</b>	30-watt underwater speaker with integral 50-ft cable, flush mount (in wet niche), 8 ohms, pool blue	\$ 479.00	\$ 287.40
F.01U.283.506	<b>VRK-1B</b>	BLACK VERTICAL RIGGING KIT FOR EVF	\$ 958.00	\$ 574.80
F.01U.283.508	<b>VRK-2B</b>	BLACK VERTICAL RIGGING KIT FOR EVF TO SUB	\$ 1,029.00	\$ 617.40
F.01U.170.778	<b>WS-H3</b>	Foam windscreen for HM3	\$ 15.07	\$ 9.04
F.01U.272.255	<b>ZLX-12</b>	ZLX 12" TWO-WAY PASSIVE LOUDSPEAKER	\$ 676.00	\$ 270.40
F.01U.348.779	<b>ZLX-12BT-US</b>	12" 2-WAY POWERED SPEAKER BT USCORD	\$ 808.00	\$ 323.20
F.01U.278.181	<b>ZLX-12-CVR</b>	ZLX PADDED COVER FOR ZLX-12/P - EV LOGO	\$ 90.80	\$ 36.32
F.01U.272.256	<b>ZLX-15</b>	ZLX 15" TWO-WAY PASSIVE LOUDSPEAKER	\$ 855.00	\$ 342.00
F.01U.278.180	<b>ZLX-BRKT</b>	ZLX WALL MOUNT BRACKET FOR ALL MODELS	\$ 149.00	\$ 59.60
F.01U.267.021	<b>ZX1-90</b>	200 watt 8" two-way speaker system with EV DH2005 hi-frequency compression driver. 2 NL4 connectors. 90x50 coverage pattern with rotatable waveguide. Includes integrated pole mount, carrying slot and rubber feet. Black high impact polymer cabinet.	\$ 441.00	\$ 264.60
F.01U.265.579	<b>ZX11-100T</b>	8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver.	\$ 698.00	\$ 418.80
F.01U.265.580	<b>ZX11-100TW</b>	8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver.	\$ 698.00	\$ 418.80
F.01U.265.575	<b>ZX11-90</b>	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. Black high impact polymer cabinet.	\$ 581.00	\$ 348.60
F.01U.265.581	<b>ZX11-90T</b>	200 Watt 8" Two-way weatherized speaker system with EV DH2005 hi-frequency compression driver.	\$ 698.00	\$ 418.80
F.01U.265.582	<b>ZX11-90TW</b>	200 Watt 8" Two-way weatherized speaker system with EV DH2005 hi-frequency compression driver.	\$ 698.00	\$ 418.80
F.01U.265.583	<b>ZX3-90B</b>	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	\$ 1,317.00	\$ 790.20
F.01U.265.584	<b>ZX3-90W</b>	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, White	\$ 1,317.00	\$ 790.20
F.01U.247.468	<b>ZXA1-SUB-120V</b>	ZXA1-SUB 120V, BLK, AMPLIFIED	\$ 777.00	\$ 466.20
F.01U.366.325	<b>EVOLVE30M-CASE</b>	Carrying case for EVOLVE 30M	\$ 348.00	\$ 139.20
F.01U.366.319	<b>EVOLVE30M-US</b>	Portable column system, US, black	\$ 2,273.00	\$ 909.20